



STANDARD CLUSTER BOX UNIT AND BASE LAYOUT. CONTACT LOCAL U.S. POSTAL OFFICE FOR COPY OF CURRENT INSTALLATION MANUAL AND LOCATION APPROVAL.

VISION CLEARANCE RESTRICTIONS:

1. LOCATE AT LEAST 20' AWAY FROM DRIVEWAY SERVING LESS THAN 30 SPACES.
2. LOCATE AT LEAST 30' AWAY FROM DRIVEWAY SERVING MORE THAN 30 SPACES.
3. SECURE APPROVAL OF ENGINEER FOR A LOCATION WITHIN 240' OF A LOCAL STREET INTERSECTION OR ON COLLECTOR STREETS.

NOTES:

1. MAILBOX STRUCTURE AND LOCATION MUST BE APPROVED BY THE U.S. POSTAL SERVICE LOCAL OFFICE.
2. IF POST MOUNTED MAILBOX (S) ARE APPROVED FOR USE, INSTALLATION SHALL BE PER THE MOST CURRENT EDITION OF ODOT STANDARD DETAIL RD100 AND RD101.

CITY OF CORVALLIS

ENGINEERING DIVISION

SIDEWALK LAYOUT AND MAILBOX CLUSTER LOCATION

DATE: JANUARY 2020

SCALE: NONE

STANDARD DETAIL No.

APPROVED: *EB*

401